

Pancreatic cancer trials open to recruitment - September 2025

This list includes trials targeted at pancreatic cancer alone and trials for many solid tumours which include pancreatic cancer. If you are a patient with pancreatic cancer and wish to discuss whether a clinical trial is right for you, please discuss with your treating Medical Oncologist.

NOTE: Trials listed are available for patients with pancreatic cancer to be referred for consideration. Several trials may have issues with slot availability or waitlists.

Descriptive stages of pancreatic cancer

Medical Term	What it means
Resectable	This is an early stage of pancreatic cancer where the cancer can still be removed by surgery
Unresectable or locally advanced	The pancreatic cancer has not spread around the body but unfortunately the cancer cannot be removed by surgery due to the tumour size, location, or involvement of surrounding structures
Metastatic	The pancreatic cancer has spread to other parts of the body



PANCREATIC CANCER TRIALS IN VICTORIA (Trials with specific cohorts for pancreatic cancer) Trial Title Targets **Target population** Treatment + Further Site Contact Details (Trial suitable for patients with (Where the study (Email the contact person listed (Genomic) Information this stage of pancreatic cancer) is being offered) with any enquiries) (What the study involves) N/A NeoFOL-R RESECTABLE mFOLFIRINOX chemotherapy Foworth Health FHIreissatiCentre@enworth.org.au Efficacy of Neoadiuvant Arm A: Surgery then 12 cycles of Exclusion: FOLFIRINOX in Resectable Borderline resectable chemotherapy pancreatic cancer: An gi.oncresearch@monashhealth.org Locally advanced Monash Health international multicentre Previous treatment for pancreatic Arm B: 6 cycles of chemotherapy Randomized, controlled trial before surgery followed by 6 of cancer (NeoFOL-R) - Australian protocol cycles after surgery act-m@alfred.org.au Alfred Health Further information: NeoFOL-R - Victorian Cancer Trials Link CancerClinicalTrials@wh.org.au Western Health N/A **UNRESECTABLE (Stage 3)** NanoKnife System for Irreversible DIRECT-InspIRE Peter MacCallum SurgicalResearchteam@petermac.or Electroporation (IRE) Cancer Centre Investigation of the safety and Inclusion: g efficacy of irreversible 3 months of chemotherapy IRE is a technique using nonelectroporation (IRE) using the (FOLFIRINOX or Gemcitabine thermal energy to create NanoKnife® System in patients based – 1 line only) permanent nanopores in the cell charles.pilgrim@monash.edu with unresectable stage 3 membrane in order to disrupt Alfred Health pancreatic cancer who have cellular homeostasis. received 3 months of chemotherapy Further information: DIRECT/InspIRE Australia -EHJreissatiCentre@epworth.org.au Victorian Cancer Trials Link **Epworth Health**



PANCREATIC CANCER TRIALS IN VICTORIA (Trials with specific cohorts for pancreatic cancer)

Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with this stage of pancreatic cancer)	Treatment + Further Information (What the study involves)	Site (Where the study is being offered)	Contact Details (Email the contact person listed with any enquiries)			
AMG193 20230223 A Phase 1b Study Evaluating the Safety, Tolerability,	MTAP deletion	METASTATIC/LOCALLY ADVANCED (First line)	AMG 193 AMG 193 is a PMRT5 inhibitor which is administered orally.	Peter MacCallum Cancer Centre	PCCTU.MoncC@petermac.org			
Pharmacokinetics, and Efficacy of AMG 193 in Combination with Other Therapies in Subjects with Advanced Gastrointestinal, Biliary Tract, or Pancreatic Cancers with		Inclusion: Pancreatic cancer Homozygous MTAP-deletion Exclusion:	AMG 193 will be administered with chemotherapy. Further information:	Austin Health	samantha.chakar@austin.org.au			
Homozygous MTAP-deletion AMG20230223		Prior MAT2A inhibitor or PRMT5 inhibitor	https://trials.cancervic.org.au/det ails/vctl_nct06360354	Epworth Health	EHjreissaticentre@epworth.org.au			
Clarity-PT01 A Phase II, Open-label, Multicentre Study to Evaluate Safety, Tolerability, Efficacy, PK, and Immunogenicity of AZD0901 as Monotherapy and in Combination With Anti-cancer Agents in Participants With Advanced Solid Tumours Expressing Claudin 18.2.	CLDN18.2	METASTATIC/LOCALLY ADVANCED (First line) Inclusion: Pancreatic cancer Treatment naïve CLDN18.2 positive Exclusion: Exposure to prior CLDN18.2 targeted agents except anti- CLDN18.2 monoclonal antibody	AZD0901 (antibody-drug conjugate) AZD0901 targets and binds to CLDN18.2, which is a protein on tumour cells, and then delivers cytotoxic agents which damage these cancer cells. Further information: https://trials.cancervic.org.au/details/vctl nct06219941	Peter MacCallum Cancer Centre	PCCTU.MoncC@petermac.org			
AMPLICITY (AMP945-202) A Phase 1b/2a, Multicenter, Open Label Study of the Safety, Efficacy and Pharmacokinetics of Narmafotinib in Combination With Modified FOLFIRINOX in Pancreatic Cancer Patients	FAK	METASTATIC/LOCALLY ADVANCED (First line) Inclusion: Treatment naïve for metastatic disease	Narmafotinib Narmafotinib is an oral FAK inhibitor. Narmafotinib will be administered in combination with mFOLFIRINOX chemotherapy Further information:	Epworth	PancreaticCentre@epworth.org.a			



PANCREATIC CANCER TRIALS IN VICTORIA (Trials with specific cohorts for pancreatic cancer) **Trial Title** Targets **Target population** Treatment + Further Site Contact Details (Trial suitable for patients with (Where the study (Email the contact person listed (Genomic) Information this stage of pancreatic cancer) is being offered) with any enquiries) (What the study involves) https://pancreaticcentre.org.au/t reatment/clinical-trials-andresearch/amplicity METASTATIC/LOCALLY N/A Fecal Microbiota Transplantation **Epworth** EH-**FMT** ADVANCED **Fecal Microbiota Transplantation** (First line) Further information: PancreaticCentre@epworth.org.a Inclusion: to improve pain, symptom https://www.pancreaticcentre.or g.au/treatment/clinical-trialsmanagement and treatment Pancreatic cancer u efficacy in patients with Treatment naïve (first line) and-research/fmt pancreatic cancer **Exclusion:** Antibiotic use within 8 weeks of randomisation (1 dose with ERCP allowed) dMMR/MS METASTATIC/LOCALLY Gi.oncresearch@monashhealth.o **PemOla** Pembrolizumab and Olaparib Monash Health I-high **ADVANCED** A phase II study combining or (First and second line) Pembrolizumab in anti-PD1 rg pembrolizumab with olaparib in TMB > 4 antibody Olaparib is a PARP inhibitor metastatic pancreatic mutations Inclusion: adenocarcinoma patients with / Mb Pancreatic cancer mismatch repair deficiency or Further information: tumour mutation burden > 4 **Awaiting opening date** Contact trials unit mutations/ Mb

Expected to open imminently



PANCREATIC CANCER TRIALS IN VICTORIA (Trials with specific cohorts for pancreatic cancer) Trial Title Targets **Target population** Treatment + Further Site Contact Details (Trial suitable for patients with (Where the study (Email the contact person listed (Genomic) Information this stage of pancreatic cancer) is being offered) with any enquiries) (What the study involves) FΔP METASTATIC/LOCALLY Alfred Hospital act-m@alfred.org.au LuMIERE [177Lu]Lu-FAP-2286 **ADVANCED** A Phase 1/2, Multicentre, Open-(First and second line) [177Lu]Lu-FAP-2286 is a label. Non-randomized Study to radiopharmaceutical that targets Investigate Safety and Inclusion: fibroblast activation protein Tolerability, Pharmacokinetics, Pancreatic ductal (FAP). This treatment works by Dosimetry, and Preliminary adenocarcinoma + other cancers binding to the FAP to allow the Activity of 177Lu-FAP-2286 in targeted delivery of radiation Patients With an Advanced Solid Monotherapy Cohort: directly to FAP-expressing cancer PCCTU.MoncC@petermac.org Peter MacCallum Received at least 1 but no more Tumour cells Cancer Centre than 2 lines of chemotherapy [177Lu]Lu-FAP-2286 with or Combination cohort: without chemotherapy Chemotherapy naïve for advanced disease Further information: https://trials.cancervic.org.au/det Exclusion: Active CNS disease ails/vctl nct04939610 **METASTATIC/LOCALLY Porcupine P2EA** Porcupine Zamaporvint **Epworth** EH-**ADVANCED** PancreaticCentre@epworth.org.au An open-label study to assess the (Second line) Zamaporvint is an oral porcupine preliminary efficacy and safety of inhibitor. Treatment will be RXC004, (Zamaporvint), in Inclusion: administered with denosumab patients with advanced Progression on first line pancreatic cancer who have treatment for incurable disease Further information: progressed following therapy with Mandatory biopsy at enrolment https://www.pancreaticcentre.or current standard of care. g.au/treatment/clinical-trialsand-research/porcupine-p2ea PAUF-I **PAUF METASTATIC/LOCALLY** PBP1510 Monash Health earlyphase.oncresearch@monashhea **ADVANCED** Ith.org A First in Human, Phase 1/2a, (Second line +) PBP1510 is an IgG1 monoclonal

antibody (mAb) that targets and

neutralises PAUF.

Multicentre, Open-label Study

Evaluating the Safety, Tolerability,

Inclusion:



PANCREATIC CANCER TRIALS IN VICTORIA (Trials with specific cohorts for pancreatic cancer)

	(Trials with specific conorts for pancreatic cancer)							
Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with this stage of pancreatic cancer)	Treatment + Further Information (What the study involves)	Site (Where the study is being offered)	Contact Details (Email the contact person listed with any enquiries)			
Pharmacokinetics, and Efficacy of PBP1510 in Patients with Advanced/Metastatic Pancreatic Cancer		Received at least 1 line of chemotherapy and progressed	Further information: https://trials.cancervic.org.au/det ails/vctl nct05141149					
ALAFOSS-01 A Phase I/IIa, Open-label, Multicentre Study to Assess the Safety, Tolerability, Pharmacokinetics, and Preliminary Efficacy of AZD0022 Monotherapy and in Combination With Anti-cancer Agents in Participants With Tumours Harbouring a KRASG12D Mutation (ALAFOSS-01)	KRAS G12D	METASTATIC/LOCALLY ADVANCED (Second line +) Inclusion: KRAS G12D mutation At least one prior line of treatment Exclusion: Prior KRAS inhibitor	AZD0022 AZD0022 is an oral KRAS G12D inhibitor. Further information: https://trials.cancervic.org.au/details/vctl_nct06599502	Peter MacCallum Cancer Centre	PCCTU.EDD@petermac.org			
INCB161734 A Phase 1, Open-Label, Multicenter Study of INCB161734 in Participants With Advanced or Metastatic Solid Tumors With KRAS G12D Mutation	KRAS G12D	ADVANCED OR METASATIC SOLID CANCERS (Second line +) Inclusion: Second line and beyond	INCB161734 in a KRAS G12D inhibitor Further information: https://trials.cancervic.org.au/det ails/vctl_nct06179160	Alfred Health	act-m@alfred.org.au			
AMG 410 A Phase 1/1b Study Evaluating the Safety, Tolerability, Pharmacokinetics, Pharmacodynamics, and Efficacy of AMG 410 Alone and in Combination With Other Agents in Participants With KRAS Altered Advanced or Metastatic Solid Tumors	KRAS	ADVANCED OR METASATIC SOLID CANCERS (Exhausted standard of care) Inclusion: KRAS mutation or amplification Exhausted conventional treatment options Pancreatic cohort specified in part 2.	AMG 410 AMG 410 is an oral pan-KRAS inhibitor and will be administered alone or in combination with pembrolizumab and panitumumab Further information: https://trials.cancervic.org.au/det ails/vctl_nct07094113	Peter MacCallum Cancer Centre	PCCTU.EDD@petermac.org			



PANCREATIC CANCER TRIALS IN VICTORIA (Trials with specific cohorts for pancreatic cancer)

	(Trials with specific cohorts for pancreatic cancer)						
Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with this stage of pancreatic cancer)	Treatment + Further Information (What the study involves)	Site (Where the study is being offered)	Contact Details (Email the contact person listed with any enquiries)		
ELK1004-101 A Phase 1/2, Open-label, Multicenter, Dose-escalation, and	HRR deficiency	METASTATIC/LOCALLY ADVANCED (Second line +)	EIK1004 EIK1004 is an oral PARP1 inhibitor and will be administered as	Peninsula and South Eastern	ag@paso.com.au		
Dose-Optimization Study to Evaluate the Safety, Tolerability, and Activity of EIK1004 (IMP1707) as Monotherapy in Participants With Advanced Solid Tumors		Inclusion: Suspected deleterious mutation of select HRR genes Exclusion: Prior PARP1 inhibitor	monotherapy Further information: https://trials.cancervic.org.au/det ails/vctl_nct06907043	Haematology and Oncology Group			
ENG19 An open-label, multicenter, Phase I/IIa study assessing the safety and efficacy of EGFR targeted EDVsTM carrying cytotoxic drug PNU-159682 plus concurrent immunomodulatory adjuvant non-targeted EDVs carrying a-galactosyl ceramide in subjects with advanced EGFR-expressing cancers who have failed second-line therapy or where first-and/or second-line therapy is not appropriate (EGFR EDV-D682/GC Trial)	1	METASTATIC/LOCALLY ADVANCED (Third line +) Inclusion: Progressed on second line or treatment exhausted EGFR expression on local IHC or liquid biopsy	E-EDV-D682/GC is a combination of a EnGelC Dream Vector (EDV) transporting the cytotoxic drug PNU-159682 to cells expressing EGFR and an EDV carrying alphagalactoslyceramide (EDV-GC). Further information: https://trials.cancervic.org.au/details/vctl_actrn12625000203459	Peninsula and South Eastern Haematology and Oncology Group	ag@paso.com.au		
AMG410 A Phase 1/1b Study Evaluating the Safety, Tolerability, Pharmacokinetics, Pharmacodynamics, and Efficacy of AMG 410 Alone and in Combination With Other Agents in Participants	KRAS	ADVANCED OR METASATIC SOLID CANCERS (Exhausted standard of care) Inclusion: KRAS mutation or amplification	AMG410 AMG410 is an oral KRAS inhibitor. Further information: https://trials.cancervic.org.au/det-ails/vctl_nct07094113	Peter MacCallum Cancer Centre	PCCTU.EDD@petermac.org		



PANCREATIC CANCER TRIALS IN VICTORIA (Trials with specific cohorts for pancreatic cancer)						
Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with this stage of pancreatic cancer)	Treatment + Further Information (What the study involves)	Site (Where the study is being offered)	Contact Details (Email the contact person listed with any enquiries)	
With KRAS Altered Advanced or Metastatic Solid Tumors						



Trial Title	Targets	Target population	Treatment + Further	Site	Contact Details
	(Genomic)	(Trial suitable for patients with	Information	(Where the study	(Email the contact person listed
		this stage of pancreatic cancer)	(What the study involves)	is being offered)	with any enquiries)
ADCE-T02-001	Tissue Factor (TF)	ADVANCED OR METASTATIC SOLID CANCERS	AMT-754	Cabrini	clinicaltrials@cabrini.com.au
First-in-Human, Phase 1 Study of			AMT-754 is a targeting tissue		
AMT-754, a Targeting Tissue		Inclusion:	factor antibody-drug conjugate		
Factor Antibody-Drug Conjugate,		Pancreatic cancer	(ADC). ADCs bind to a specific		
in Patients With Advanced Solid		Received ≥1 prior line of therapy	part of the surface of a cancer cell		
Tumors		No further standard therapy	and then deliver targeted	Peninsula and	ag@paso.com.au
		available	treatment directly into the cell.	South Eastern	
				Haematology and	
		Exclusion: Active CNS disease	Further information:	Oncology Group	
			https://trials.cancervic.org.au/det		
			ails/vctl nct06597721		
<u>HERTHENA</u>	Her3	ADVANCED OR METASTATIC	HER3-DXd	Monash Health	gi.oncresearch@monashhealth.org
		SOLID CANCERS			
A Study of HER3-DXd in Subjects		Inclusion:	HER3-DXd is a Her3 antibody-		
With Locally Advanced or		Received 1 line of systemic	drug conjugate.		
Metastatic Solid Tumors		therapy and progressed			
		Exclusion:	Further information:		
		Prior anti-Her3 treatment	https://trials.cancervic.org.au/det		
		Prior irinotecan	ails/vctl nct06172478		
			<u>, 1010 </u>		
PRT7732-01	SMARCA4	ADVANCED OR METASTATIC	PRT7732	Monash Health	earlyphase.oncresearch@monashhea
<u> </u>		SOLID CANCERS			lth.org
A Phase 1 Open-Label, Multi-			PRT7732 is an oral SMARCA2		
Center, Safety and Efficacy Study		Inclusion:	degrader.		
of PRT7732, an Oral SMARCA2		SMARCA4 mutation			
Degrader, in Patients with			Further information:		
Advanced or Metastatic Solid		Exclusion:	A Study of PRT7732, an Oral		
Tumors with a SMARCA4		Concomitant SMARCA2 mutation	SMARCA2 Degrader, in Patients		
Mutation			with Advanced or Metastatic		
			Solid Tumors with a SMARCA4		
			<u>Mutation - Rare Cancers Australia</u>		



				1	
Trial Title	Targets	Target population	Treatment + Further	Site	Contact Details
	(Genomic)	(Trial suitable for patients with	Information	(Where the study	(Email the contact person listed
		this stage of pancreatic cancer)	(What the study involves)	is being offered)	with any enquiries)
HM-EZHI_	SWI/SNF	ADVANCED OR METASTATIC	HM97662	Monash Health	earlyphase.oncresearch@monashhea
	Complex	SOLID CANCERS			
A Phase I, Open-Label,	aberration		HM97662 is an oral medication		<u>Ith.org</u>
Multicenter, Dose Escalation and	(ARID1A	Inclusion:	(EZH1/2 dual inhibitor).		
Expansion Study of HM97662 as a	SMARCA4	SW/SNF Complex aberration		Peninsula and	ag@paso.com.au
Single Agent in Patients With	SMARCA2)	(ARID1A, SMARCA4, SMARCA2)		Southeast	
Advanced or Metastatic Solid			Further information:	Oncology	
Tumors		Exclusion:	https://trials.cancervic.org.au/det	Grampians Health	clinicaltrials@gh.org.au
		Prior valemetostat or other	ails/feed-cta-trial541	(Ballarat)	<u></u>
		EZH1/2 inhibitor use		,	
BGB 58067	MTAP loss	ADVANCED OR METASTATIC	BGB-58067	Monash Health	earlyphase.oncresearch@monashhea
		SOLID CANCERS			lth.org
A Phase 1a/b Study Investigating			BGB-58067 is an MTA-		
the Safety, Tolerability,		Inclusion:	Cooperative PRMT5 inhibitor.		
Pharmacokinetics,		MTAP loss (pre-screening			
Pharmacodynamics, and		available)			
Preliminary Antitumor Activity of					
BGB-58067, an MTA-Cooperative		Exclusion:	Further information:	(Note: Austin	
PRMT5 Inhibitor in Patients With		Prior treatment with PRMT5 or	NCT06589596 - Victorian Cancer	Health is only	
Advanced Solid Tumors		MAT2A inhibitor	<u>Trials Link</u>	recruiting GBM)	
BGB 53038	KRAS	ADVANCED OR METASTATIC	BGB-53038	Monash Health	earlyphase.oncresearch@monashhea
	mutation	SOLID CANCERS			lth.org
A Phase 1a/1b Study to	or		BGB-53038 is a pan-KRAS		
Investigate the Safety,	amplificati	Inclusion:	inhibitor.		
Tolerability, Pharmacokinetics,	on	Evidence of KRAS mutation or			
Pharmacodynamics, and	(excluding	wild-type amplification			
Preliminary Antitumor Activity of					



Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with this stage of pancreatic cancer)	Treatment + Further Information (What the study involves)	Site (Where the study is being offered)	Contact Details (Email the contact person listed with any enquiries)
BGB-53038, a Pan-KRAS Inhibitor, As Monotherapy or in Combinations in Patients with Advanced or Metastatic Solid Tumors with KRAS Mutations or Amplifications	KRAS G12R)	Exclusion: KRAS G12R mutation Prior treatment with other RAS targeting treatment	Further information: NCT06585488 - Victorian Cancer Trials Link	Peter MacCallum Cancer Centre	PCCTU.EDD@petermac.org
YL211-INT-101-01: A Phase 1, Multicenter, Open-Label, First-in- Human Study to Evaluate the Safety, Tolerability, Pharmacokinetics, and Efficacy of YL211 in Patients With Advanced Solid Tumors	CMET	ADVANCED OR METASTATIC SOLID CANCERS Inclusion: No further standard treatment options available	YL211 is a C-MET targeted antibody-drug conjugate (ADC) available for all tumour types for dose escalation where there is either a C-met aberration or where there is a biological rationale for C-met directed therapy. Further information: YL211-INT-101-01 - Victorian Cancer Trials Link	Monash Health	earlyphase.oncresearch@monashhea lth.org
MK-1084 A Phase 1, Open-Label, Multicenter Study to Assess Safety, Tolerability, PK, and Efficacy of MK-1084 as Monotherapy and in Combination With Pembrolizumab in Subjects With KRASG12C Mutant Advanced Solid Tumors	KRAS G12C	ADVANCED OR METASTATIC SOLID CANCERS Inclusion: KRAS G12C mutation	MK1084 is an oral KRAS G12C inhibitor. Further information: MK-1084 - Victorian Cancer Trials Link	Monash Health	earlyphase.oncresearch@monashhea lth.org



Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with this stage of pancreatic cancer)	Treatment + Further Information (What the study involves)	Site (Where the study is being offered)	Contact Details (Email the contact person listed with any enquiries)
PRIMROSE A Modular Phase I/IIa, Multicentre, Dose Escalation, and Expansion Study of AZD3470, a MTA Cooperative PRMT5 Inhibitor, as Monotherapy and in Combination With Anticancer Agents in Patients With Advanced/Metastatic Solid Tumours That Are MTAP Deficient CS5001 A Phase I, Dose-Escalation and Dose-Expansion Study to Evaluate the Safety, Tolerability, Pharmacokinetics, and Antitumor Activities of CS5001, an Anti-ROR1 Antibody-Drug Conjugate, Used as A Single Agent and in Combination with Systemic Therapies in Patients with Advanced Solid Tumors and	MTAP deficient	ADVANCED OR METASTATIC SOLID CANCERS Inclusion: At least 1 prior line of treatment and exhausted treatment options Archival or baseline tumour sample for MTAP testing Exclusion: Prior PRMT5 inhibitor ADVANCED OR METASTATIC SOLID CANCERS Inclusion: Progression on at least 1 prior line of systemic therapy ECOG 0-1	AZD3470 AZD3470 is a novel, potent and selective second-generation PRT5 inhibitor. Further information: PRIMROSE - Victorian Cancer Trials Link CS5001 CS5001 CS5001 in an antibody drug conjugate targeting ROR1 Further information: https://www.pancreaticcentre.or g.au/treatment/clinical-trials-and-research/cs5001	Peter MacCallum Cancer Centre	connie.barlas@epworth.org.au or EH- PancreaticCentre@epworth.org.a u
Lymphomas. MarkV A Phase 1a/1b, First-in-Human, Open Label Study to Assess the Safety, Tolerability, and Pharmacokinetics of PMC-309	VISTA	ADVANCED OR METASATIC SOLID CANCERS Inclusion: Progressed on available prior lines of therapy	PMC-309 PMC-309 is an anti-VISTA monoclonal antibody PMC-309 will be administered	Grampians Health (Ballarat)	clinicaltrials@gh.org.au



Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with this stage of pancreatic cancer)	Treatment + Further Information (What the study involves)	Site (Where the study is being offered)	Contact Details (Email the contact person listed with any enquiries)
(Anti-VISTA), as Monotherapy and Combined With Pembrolizumab, in Patients With Advanced or Metastatic Solid Tumors		Progressed on PD-1 or PD-L1 inhibitor immunotherapy Exclusion: Prior anti-VISTA therapy	alone or in combination with pembrolizumab Further information: https://trials.cancervic.org.au/details/vctl_nct05957081	Cabrini	clinicaltrials@cabrini.com.au
Phase 1 Study Investigating the Safety, Tolerability, Pharmacokinetics, and Preliminary Antitumor Activity of BGB-C354, an Antibody-Drug Conjugate Targeting B7H3, Alone and in Combination With Anti-PD-1 Monoclonal Antibody Tislelizumab in Patients With Advanced Solid Tumours	В7Н3	ADVANCED OR METASATIC SOLID CANCERS Inclusion: Advanced or metastatic solid organ malignancy not amenable to curative intent treatment Exclusion: History of ILD	BGB-C354 BGB-C354 is a B7H3 antibodydrug conjugate Patients are treated with or without tislelizumab (anti-PD1 antibody) Further information: https://clinicaltrials.gov/study/NC T06422520	St Vincents Melbourne	OncologyTrialCoordinators@svha. org.au
AT-0174-001 A Phase I Study to Evaluate the Safety, Tolerability, Pharmacology, and Preliminary Efficacy of AT-0174 in Subjects with Advanced Solid Malignancies	IDO1/TDO 2	ADVANCED OR METASATIC SOLID CANCERS Inclusion: Progressed on available prior lines of therapy	AT-0174 AT-0174 is a novel dual inhibitor of IDO1/TDO2 Further information: https://trials.cancervic.org.au/det ails/vctl_actrn12623000956606	Grampians Health (Ballarat) St Vincent's Hospital Melbourne	clinicaltrials@gh.org.au OncologyTrialCoordinators@svha. org.au



Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with	Treatment + Further Information	Site (Where the study	Contact Details (Email the contact person listed
		this stage of pancreatic cancer)	(What the study involves)	is being offered)	with any enquiries)
<u>IMPARP</u>	HRD deficiency	ADVANCED OR METASATIC SOLID CANCERS	Pamiparib and tiselizumab	Western Health	CancerClinicalTrials@wh.org.au
An Open Label, Signal Seeking,	,		Pamiparib is a PARP1/2 inhibitor.		
Translational, Phase II Trial of		Inclusion:	Tislelizumab is an anti-PD1		
Pamiparib in Combination with		Second line and beyond	antibody.		
Tislelizumab in Patients With		Molecular testing within 12			
Advanced Tumours with		months			
Homologous Recombination		Confirmed germline or somatic	Further information:		
Repair Defects		alteration in homologous	https://trials.cancervic.org.au/det		
		recombination related gene	ails/feed-cta-trial389		
AKTive-001	AKT E17K	ADVANCED OR METASATIC	ALTA2618	Cabrini	clinicaltrials@cabrini.com.au
A Dhaga 1/1b Maultinla Cabaut Trial	mutation	SOLID CANCERS	ALTA2618 is an oral AKT E17K		
A Phase 1/1b Multiple Cohort Trial of ALTA2618 in Patients with		Inclusion:	inhibitor		
Advanced Solid Tumors with AKT1		Exhausted standard of care	IIIIIDICOI		
E17K Mutation		therapies			
ET/K Watation		therapies	Further information:		
		Exclusion:	https://trials.cancervic.org.au/det		
		Prior mTOR or PI3K inhibitors	ails/vctl nct06533059		
		Presence of KRAS, NRAS, HRAS or			
		BRAF genomic alterations			
AMT-676-01	CDH17	ADVANCED OR METASATIC	<u>AMT-676</u>	Cabrini	clinicaltrials@cabrini.com.au
		SOLID CANCERS			
First-in-Human, Phase 1 Study of			AMT-676 is an anti-CDH17		
AMT-676, an Anti-CDH17 Antibody-		Inclusion:	antibody drug conjugate.		
Drug Conjugate, in Patients with		Second or later line therapy	Further information:		
Advanced Solid Tumors			https://trials.cancervic.org.au/det		
			ails/vctl nct06400485		



Trial Title	Targets	Target population	Treatment + Further	Site	Contact Details
	(Genomic)	(Trial suitable for patients with	Information	(Where the study	(Email the contact person listed
	(Genonino,	this stage of pancreatic cancer)	(What the study involves)	is being offered)	with any enquiries)
D3S-001-100	KRAS G12C	ADVANCED OR METASATIC SOLID CANCERS	D3S 001	Cabrini	clinicaltrials@cabrini.com.au
A Phase 1, Open Label, Dose			D3S 001 is a KRAS G12C inhibitor		
Escalation and Dose Expansion		Inclusion:			
Study Evaluating the Safety,		KRAS G12C mutation	Further information:		
Tolerability, Pharmacokinetics,			https://trials.cancervic.org.au/det		
Pharmacodynamics, and		*Note pancreatic specific cohort	ails/feed-cta-trial449	Peter	PCCTU.EDD@petermac.org
Preliminary Efficacy of D3S 001		has closed. Pantumour cohort		MacCallum	
Monotherapy in Subjects with		remains open with limited slots		Cancer Centre	
Advanced Solid Tumors with a KRAS				cancer centre	
p.G12C Mutation					
<u> </u>	MAT2A	ADVANCED OR METASATIC	<u>\$095035</u>	Alfred Health	act-m@alfred.org.au
	MTAP	SOLID CANCERS			
A Phase 1, Open-label, Multicenter			S095035 is an oral MAT2A		
Clinical Trial of S095035 (MAT2A			inhibitor.		
Inhibitor) in Adult Participants With		Inclusion:			
Advanced or Metastatic Solid		Homozygous deletion of MTAP	Further information:		
Tumors With Homozygous Deletion		Second line and beyond	https://trials.cancervic.org.au/det		
of MTAP			ails/vctl nct06188702		
KEYNOTE-F49	LILRB1 LILRB2	ADVANCED OR METASATIC SOLID CANCERS	IOS-1002 +/- Pembrolizumab	Bendigo Health	cancerresearch@bendigohealth.o
A Phase 1a/1b, First-in-human,	KIR3DL1		IOS-1002 binds to LILRB1 (ILT2),		g.au
Open-label, Non-randomized,	PD-1		LILRB2 (ILT4), and KIR3DL1		8.22
Multicenter, Dose-escalation and		Inclusion:	receptors on innate and adaptive		
Cohort Expansion Study to		Second or later line	immune cells that suppress		
Evaluate the Safety, Tolerability,			immune responses when		
Efficacy, Immunogenicity,			activated.		
Pharmacokinetics, and					
Pharmacodynamics of IOS-1002			Pembrolizumab in anti-PD1		
Administered Alone and in			antibody.		
Combination With a PD-1					



Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with this stage of pancreatic cancer)	Treatment + Further Information (What the study involves)	Site (Where the study is being offered)	Contact Details (Email the contact person listed with any enquiries)
Monoclonal Antibody in Advanced Solid Tumors			Further information: https://trials.cancervic.org.au/det ails/feed-cta-trial528		
A Phase 1/2 First-Time-in-Human, Open-label, Multicenter, Dose Escalation and Expansion Study of the Oral DNA Helicase Werner Inhibitor (WRNi) GSK4418959 Alone or in Combination With Other Anti-cancer Agents in Adult Participants With Mismatch Repair-deficient (dMMR) or Microsatellite Instability-High (MSI-H) Solid Tumors (SYLVER)	WRN dMMR MSI-h	ADVANCED OR METASATIC SOLID CANCERS Inclusion: Second or later line/exhausted treatment options	GSK4418959 +/-PD-1 inhibitor GSK4418959 is an oral WRN- inhibitor. This is given as monotherapy or in combination with a PD-1 inhibitor. Further information: https://trials.cancervic.org.au/details/vctl_nct06710847	Peter MacCallum Cancer Centre	PCCTU.MoncB@petermac.org
GDC-7035 A Phase I/II Dose-Escalation and Expansion Study Evaluating the Safety, Pharmacokinetics, and Activity of GDC-7035 as a Single Agent and in Combination With Other Anti-Cancer Therapies in Patients With Advanced Solid Tumors With a KRAS G12D Mutation	KRAS G12D	ADVANCED OR METASATIC SOLID CANCERS Inclusion: KRAS G12D mutation	GDC-7035 GD-7035 is a KRAS G12D inhibitor. Treatment will be monotherapy or in combination with other anti-cancer treatments. Further information: https://trials.cancervic.org.au/det ails/vctl_nct06619587	Peter MacCallum Cancer Centre	PCCTU.EDD@petermac.org
RO7566802 A Phase I, Open-Label, Multicenter, Dose-Escalation	ανβ8 integrin	ADVANCED OR METASATIC SOLID CANCERS	RO7566802 RO7566802 is a ανβ8 integrin inhibitor delivered intravenously.	Peter MacCallum Cancer Centre	PCCTU.EDD@petermac.org



Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with this stage of pancreatic cancer)	Treatment + Further Information (What the study involves)	Site (Where the study is being offered)	Contact Details (Email the contact person listed with any enquiries)
Study Evaluating the Safety, Pharmacokinetics, and Activity of RO7566802 as a Single Agent and in Combination With Atezolizumab in Patients With Locally Advanced or Metastatic Solid Tumors		Inclusion: Second or later line	Further information: https://trials.cancervic.org.au/details/vctl_nct06031441	3 3,7 4 4,7	
MK-6837-001 A Phase 1 Open-label, Multicenter Study of MK-6837 as Monotherapy and Combination Therapy in Participants With Advanced/Metastatic Solid Tumors	TROP2	ADVANCED OR METASATIC SOLID CANCERS Exclusion: Uncontrolled HIV, Hepatitis B or C	MK-6837 +/- pembrolizumab MK-6837 is a TROP2-MMAE antibody-drug conjugate delivered as monotherapy or in combination with PD-1 inhibitor pembrolizumab. Further information: https://trials.cancervic.org.au/details/vctl_nct06460961	Alfred Health	act-m@alfred.org.au
BG-C477 A Multicenter, Open-Label, Phase 1a/b First-in-Human Study to Investigate the Safety, Tolerability, Pharmacokinetics, Pharmacodynamics, and Preliminary Antitumor Activity of BG-C477 in Patients With Selected Advanced Solid Tumors	CEACAM5	ADVANCED OR METASATIC SOLID CANCERS Inclusion: CEA >5	BG-C477 BG-C477 is an antibody-drug conjugate targeting CEACAM5. BG-C477 will be delivered as monotherapy or in combination with capecitabine and bevacizumab. Further information: https://trials.cancervic.org.au/det ails/vctl_nct06596473	Alfred Health	act-m@alfred.org.au



Trial Title	Targets	Target population	Treatment + Further	Site	Contact Details
	(Genomic)	(Trial suitable for patients with	Information	(Where the study	(Email the contact person listed
		this stage of pancreatic cancer)	(What the study involves)	is being offered)	with any enquiries)
<u>AMT-562-01</u>	HER3	ADVANCED OR METASATIC SOLID CANCERS	<u>AMT-562</u>	Cabrini	clinicaltrials@cabrini.com.au
First-in-Human, Phase 1 Study of			AMT-562 is a novel HER3		
AMT-562, an Anti HER3 Antibody-		Inclusion:	targeting antibody drug		
Drug Conjugate, in Patients with Advanced Solid Tumors		Second line and beyond	conjugate.		
Advanced Solid Tulliors			Further information:		
			https://trials.cancervic.org.au/det		
			ails/vctl nct06199908		
<u>SNT1521</u>	PARP	ADVANCED OR METASATIC SOLID CANCERS	<u>SNT1521</u>	Monash Health	earlyphase.oncresearch@monash
A Phase 1, Open-Label Dose		SOLID CANCERS	SNT1521 is a PARP1 inhibitor.		hoolth org
Escalation and Expansion Study of		Inclusion:	311132113 017111111111111111111111111111111111		health.org
SNV1521 in Participants With		Exhausted treatment options			
Advanced Solid Tumors			Further information:		
			https://trials.cancervic.org.au/det		
			ails/vctl_nct06220864		
MYE-Symphony/MTX-TROP2-302	TROP2	ADVANCED OR METASATIC SOLID CANCERS	<u>MT-302</u>	Cabrini	clinicaltrials@cabrini.com.au
A Phase 1, Open-Label, First-in-			MT-302 is an anti-TROP2-CD89		
Human, Dose Escalation Study to			mRNA CAR therapy.		
Investigate the Safety,					
Pharmacokinetics,			Further information:		
Pharmacodynamics and Preliminary Efficacy of MT-302 in			MYE Symphony - Victorian Cancer		
Adults With Advanced or			<u>Trials Link</u>		
Metastatic Epithelial Tumors					
IKSUDA	HER2	ADVANCED OR METASATIC	<u>IKS014</u>	Peninsula and	ag@paso.com.au
		SOLID CANCERS		Southeast	
A Phase 1 Dose Escalation Trial to			IKS014 is a HER2 targeting	Oncology	
Determine the Safety, Tolerance,		Inclusion:	antibody drug conjugate.		
Maximum Tolerated Dose, and		HER2 IHC 1-3+			
Preliminary Antineoplastic		HER2 ISH negative and positive	Further information:		



Trial Title	Targets Target population	Target population	Treatment + Further	Site	Contact Details
	(Genomic)	(Trial suitable for patients with this stage of pancreatic cancer)	Information (What the study involves)	(Where the study is being offered)	(Email the contact person listed with any enquiries)
Activity of IKS014, a HER2- Targeting Antibody Drug Conjugate (ADC), in Participants With Advanced HER2+ Solid Tumors			https://trials.cancervic.org.au/det ails/vctl_nct05872295		
LOXO-RAS-200001 A Phase 1a/1b Study of	KRAS G12C	ADVANCED OR METASATIC SOLID CANCERS	LY3537982 is a KRAS G12C	Peninsula and Southeast Oncology	ag@paso.com.au
LY3537982 in Patients With KRAS G12C-Mutant Advanced Solid Tumors		Inclusion: KRAS G12C mutation	inhibitor and will be administered as monotherapy or in combination with other systemic anticancer medications.		
			Further information: https://trials.cancervic.org.au/det-ails/vctl nct04956640		
<u>Stingray SR-8541A-001</u>	ENPP1	ADVANCED OR METASATIC SOLID CANCERS	<u>SR-8541A</u>	Peninsula and Southeast	ag@paso.com.au
Phase 1, Dose Escalation, Safety, Tolerability, and Pharmacokinetic		Inclusion:	SR-8541A is an ENPP1 inhibitor.	Oncology	
Study of SR-8541A (ENPP1 Inhibitor) Administered Orally as Monotherapy in Subjects With Advanced/Metastatic Solid		Exhausted conventional treatment	Further information: https://trials.cancervic.org.au/det ails/vctl nct06063681		
Tumors	COC1	ADVANCED OR METACATIC COLID	DAV2409264	Denimento and	
BAY3498264	SOS1 KRAS	ADVANCED OR METASATIC SOLID CANCERS	BAY3498264	Peninsula and Southeast	ag@paso.com.au
Phase 1 Study of a SOS1 Inhibitor, BAY 3498264, in Combination in Participants With Advanced	***************************************	Inclusion: KRAS G12C mutation	BAY3498264 is a SOS1 inhibitor. Treatment will be in combination with sotorasib.	Oncology	
KRASG12C-mutated Solid Tumors	***************************************		Further information: https://trials.cancervic.org.au/det		



Trial Title	Targets	Target population	Treatment + Further	Site	Contact Details
	(Genomic)	(Trial suitable for patients with	Information	(Where the study	(Email the contact person listed
		this stage of pancreatic cancer)	(What the study involves)	is being offered)	with any enquiries)
			ails/vctl_nct06659341		
				-	
<u>AK138D1</u>	HER3	ADVANCED OR METASATIC SOLID	Patritumab Deruxtecan	Peninsula and	ag@paso.com.au
A First in house Dhara I Study of		CANCERS	B-t-it	Southeast	
A First-in-human, Phase I Study of		L L :	Patritumab Deruxtecan an anti-	Oncology	
Evaluating Safety, Tolerability,		Inclusion:	HER3 Antibody drug conjugate		
Pharmacokinetics and Preliminary Efficacy of AK138D1 in the		Exhausted conventional treatment	Fth and in farmer than 1		
Treatment of Advanced Solid			Further information:		
Tumors			https://trials.cancervic.org.au/det ails/vctl nct06730386		
DT-7012-CLI-001	CCR8	ADVANCED OR METASATIC SOLID	<u>DT-7012</u>	Peninsula and	ag@paso.com.au
Study of DT-7012 as a Single		CANCERS		Southeast Oncology	
Agent and in Combination With		Inclusion:	DT-7012 is an anti-CCR8 antibody.	Officology	
an Immune Checkpoint Inhibitor		Second or later line	DI-7012 is all allti-cens alltibody.		
in Participants With Advanced		Second of later line	Further information:		
Solid Tumors (DOMISOL)			https://clinicaltrials.gov/study/NC		
			T06819735		
SNV4818	PIK3CA	ADVANCED OR METASATIC SOLID	SNV4818	Monash Health	earlyphase.oncresearch@monash
		CANCERS			
A Phase 1, Open-Label Dose			SNV4818 is an oral PI3Kα		health.org
Escalation and Expansion Study of		Inclusion:	inhibitor. SNV4818 will be		<u>neartinors</u>
SNV4818 as Monotherapy or in		Activating PIK3CA mutation	delivered with or without		
Combination With Other		Exhausted conventional treatment	fulvestrant		
Anticancer Agents in Participants					
With Advanced Solid Tumors		Note: Pantumour for dose	Further information:		
		escalation cohorts	NCT06736704 - Victorian Cancer		
<u>CS2009</u>	dMMR	ADVANCED OR METASATIC SOLID	<u>CS2009</u>	Monash Health	earlyphase.oncresearch@monash
	тмв-н	CANCERS			
A Phase I, Dose-Escalation and	HRD		CS2009 is a Tri-specific Antibody		
Dose-Expansion Study to Evaluate	phenotype	Inclusion:	Targeting PD-1/VEGFA/CTLA-4.		



				T	
Trial Title	Targets	Target population	Treatment + Further	Site	Contact Details
	(Genomic)	(Trial suitable for patients with	Information	(Where the study	(Email the contact person listed
		this stage of pancreatic cancer)	(What the study involves)	is being offered)	with any enquiries)
the Safety, Tolerability,		Exhausted conventional treatment	CS2009 will be given IV every 3		health.org
Pharmacokinetics and Antitumor			weeks		
Activities of CS2009, a Tri-specific		Note: PDAC considered but other			
Antibody Targeting PD-		tumour types preferred	Further information:		
1/VEGFA/CTLA-4, in Participants		Molecular profile taken into	CS2009 - Victorian Cancer Trials		
With Advanced Solid Tumors		account (i.e. dMMR, TMB-H)	<u>Link</u>		
BM230	HER2	ADVANCED OR METASATIC SOLID	BM230	Monash Health	earlyphase.oncresearch@monash
		CANCERS			
A Phase I, Multicenter, Non-			BM230 is delivered		health.org
randomized, Open-label Study to		Inclusion:	subcutaneously each week for 3		
Evaluate the Safety, Tolerability,		HER2 1+ expression	weeks followed by fortnightly		
Pharmacokinetics, and Efficacy of			administration		
BM230 in Patients With Advanced					
Solid Tumors			Further information:		
			BM230 - Victorian Cancer Trials		
BT317		ADVANCED OR METASATIC SOLID	BT317	Monash Health	earlyphase.oncresearch@monash
		CANCERS			
A Phase I, First-in-human, Open-			BT317 is administered		health.org
label, Dose Escalation Study of		Inclusion:	intravenously		
the Safety, Tolerability,		Exhausted conventional treatment			
Pharmacokinetics, and			Further information:		
Immunogenicity of BNT317 in			NCT06750185 - Victorian Cancer		
Patients with Advanced Solid			<u>Trials Link</u>		
Tumors					



Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with	Treatment + Further Information	Site (Where the study	Contact Details (Email the contact person listed
	(Genomic)	this stage of pancreatic cancer)	(What the study involves)	is being offered)	with any enquiries)
OZ-001-101 A Phase 1, Open-label, First-in Human Study to Examine the Safety, Tolerability, Pharmacokinetic Profile, and Preliminary Efficacy of OZ-001 when Administered Orally in Adults with Solid Tumours with a Focus on Triple Negative Breast Cancer	STAT3	ADVANCED OR METASATIC SOLID CANCERS Inclusion: Exhausted conventional treatment Confirmed accepting PDAC for phase 1a	OZ-001 OZ-001 is a small molecule dual inhibitor of the STAT3 and T-type calcium channels Further information: https://trials.cancervic.org.au/det ails/vctl_actrn12625000163404	Peninsula and South Eastern Haematology and Oncology Group	ag@paso.com.au
INI-4001-101 An Open-label, Multiple-Ascending Dose, Two-Part Dose Ranging and Cohort Expansion Study of INI-4001 in Patients with Advanced Solid Tumours	TLR7/8	ADVANCED OR METASATIC SOLID CANCERS Inclusion: Exhausted conventional treatment Pre-screening component (review of medical history) *Minimal slots available	INI-4001 INI-4001 is TLR7/8 agonist. Further information: https://trials.cancervic.org.au/det ails/vctl_nct06302426	Cabrini	clinicaltrials@cabrini.com.au
LM350-01-10 A Phase I/II, First-in-Human (FIH), Open-Label, Multiple Centre Clinical Study to Evaluate the Safety, Tolerability, Pharmacokinetics, Immunogenicity and Preliminary Efficacy of LM-350 in Patients with Advanced Solid Tumors	CDH17	ADVANCED OR METASATIC SOLID CANCERS Inclusion: Exhausted conventional treatment	LM350 LM350 is a CDH17 targeted antibody drug conjugate Further information: https://clinicaltrials.gov/study/NC T07112222?aggFilters=status:not	Peninsula and South Eastern Haematology and Oncology Group	ag@paso.com.au



	SOLID CANCER TRIALS ACCEPTING PANCREATIC CANCER IN VICTORIA							
Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with this stage of pancreatic cancer)	Treatment + Further Information (What the study involves)	Site (Where the study is being offered)	Contact Details (Email the contact person listed with any enquiries)			
RO7673396 A Phase I Dose Escalation and Expansion Study to Evaluate the Safety, Tolerability, Pharmacokinetics and Preliminary Clinical Activity of RO7673396 as a Single Agent and in Combination With Other Anticancer Therapies in Patients With Advanced Solid Tumors Harboring RAS Mutation(s)	RAS	ADVANCED OR METASATIC SOLID CANCERS Inclusion: Exhausted conventional treatment Confirmed presence of RAS mutation	RO7673396 RO7673396 is an oral RAS inhibitor Further information: https://trials.cancervic.org.au/det ails/vctl nct06884618	Peter MacCallum Cancer Centre	PCCTU.EDD@petermac.org			

SUPPORTIVE CARE TRIALS FOR PATIENTS WITH PANCREATIC CANCER IN VICTORIA						
Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with this stage of pancreatic cancer)	Treatment + Further Information (What the study involves)	Site (Where the study is being offered)	Contact Details (Email the contact person listed with any enquiries)	
DINE-PC	N/A	ALL STAGES OF PANCREATIC	Dietetics counselling	Epworth	EH-	
		CANCER			PancreaticCentre@epworth.org.au	
Dietetics Intervention and			Further information:			
Nutritional Evaluation in			https://www.pancreaticcentr			
Pancreatic Cancer Care (DINE-PC)			e.org.au/treatment/clinical-			
			trials-and-research/dine-pc			



Phase 1 Trials are offered in Victoria at the following locations:

Study Site	Contact	Email	Phone
Alfred Hospital (Prahran VIC 3004)	Clinical Trial Team	$\frac{moncACT1@alfredhealthconnect.onmicrosoft.co}{\underline{m}}$	ТВА
Austin Hospital (Heidelberg VIC 3084)	Samantha Chakar	samantha.chakar@austin.org.au	03 9496 3088
Barwon Health (Geelong VIC 3220)	Karen Aitken	cstu.manager@barwonhealth.org.au	03 4215 2758
Cabrini Malvern (Malvern VIC 3144)	Rochelle Woods	rwoods@cabrini.com.au	95083437
Epworth Hospital (Richmond VIC 3121)	Clinical Research Coordinator	ehjreissaticentre@epworth.org.au	0448 842 680 or 03 9426 8880
PASO Medical (Frankston VIC 3199)	Albert Goikman Clinical Trials Manager	ag@paso.com.au	03 91131307
Monash Health (Clayton VIC 3168)	Early Phase Research Study Coordinator	earlyphase.oncresearch@monashhealth.org	0474 769 510
Peter MacCallum Cancer Centre (Parkville VIC 3052)	Enquiries Line Coordinator	clinicaltrials.enquiries@petermac.org	03 8559 7456 (9am-2pm, Mon-Fri)
St Vincent's Hospital (Fitzroy VIC 3065)	Nadia Ranieri	oncology.research@svha.org.au	03 9231 3167
Western Health (St Albans VIC 3021)	Heike Raunow	CancerClinicalTrials@wh.org.au	03 83959136 or 0434915739

For patients not eligible for any of the above trials, and who have pancreatic cancer that has progressed, are intolerant or are ineligible for standard of care treatments, please consider a phase 1 trial. Clinicians can email or phone the contact listed with any enquiries. Patients, please contact your treating Medical Oncologist if you wish to discuss phase 1 trials.



	PANCREATIC OR SOLID CANCER TRIALS OUTSIDE OF VICTORIA						
Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with this stage of pancreatic cancer)	Treatment + Further Information (What the study involves)	Site (Where the study is being offered)	Contact Details (Email the contact person listed with any enquiries)		
MT302 A Phase 1, Open-Label, First-in-Human, Dose Escalation Study to Investigate the Safety, Pharmacokinetics, Pharmacodynamics and Preliminary Efficacy of MT–302 in Adults with Advanced or Metastatic Epithelial Tumors	TROP2	ADVANCED OR METASTATIC SOLID CANCERS Inclusion: Progressive disease at baseline, refractory or relapsed to standard of care or who have declined standard therapy. *Note: closed to pancreas at some centres.	MT302 MT302 is an anti-TROP2- CD89 mRNA CAR therapy Further information: https://www.cancer.nsw.gov. au/research-and- data/cancer-clinical-trials-in- nsw/find-a-cancer-clinical- trial-in-nsw/item?r=13719	Research (NSW) Westmead Hospital (NSW) Linear Clinical Research LTD Nedlands (WA)	adrian.talarico@scientiaclinicalresear ch.com.au meenal.rai@health.nsw.gov.au enquiries@linear.org.au		
CA233-0000/ BMS-986484 A Study of BMS-986484 Alone and Combination Therapy in Participants With Advanced Solid Tumors	CD40/FAP	ADVANCED OR METASTATIC SOLID CANCERS Exclusion: History of ILD	BMS-986484 BMS-986484 (a CD40/FAP bispecific agonist) is delivered as monotherapy or in combination with nivolumab	St Vincent's Hospital Darlinghurst (NSW) Lyell McEwin Hospital	svhs.research@svha.org.au Health.NALHNCancerResearch@sa.g ov.au		



	PANCREATIC OR SOLID CANCER TRIALS OUTSIDE OF VICTORIA						
Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with this stage of pancreatic cancer)	Treatment + Further Information (What the study involves)	Site (Where the study is being offered)	Contact Details (Email the contact person listed with any enquiries)		
				(SA)			
Clarity-PT01 A Phase II, Open-label, Multicentre Study to Evaluate Safety, Tolerability, Efficacy, PK, and Immunogenicity of AZD0901 as	CLDN18.2	METASTATIC/LOCALLY ADVANCED Inclusion: Pancreatic cancer Treatment naïve (first line)	AZD0901 (antibody-drug conjugate) AZD0901 targets and binds to CLDN18.2, which is a protein on tumour cells, and then delivers	Prince of Wales Hospital (NSW)	SESLHD-POW- CTRUreferrals@health.nsw.gov.au		
Monotherapy and in Combination With Anti-cancer Agents in Participants With Advanced Solid Tumours Expressing Claudin 18.2.		Exclusion: Exposure to prior CLDN18.2 targeted agents except anti- CLDN18.2 monoclonal antibody	cytotoxic agents which damage these cancer cells. Further information: https://www.anzctr.org.au/TrialSearch.aspx#&&searchTxt=NCT062 19941	Fiona Stanley Hospital (WA)	Chia.Tan@health.wa.gov.au		
AMG193 20230223 A Phase 1b Study Evaluating the Safety, Tolerability, Pharmacokinetics, and Efficacy of AMG 193 in Combination with Other Therapies in Subjects with Advanced Gastrointestinal, Biliary Tract, or Pancreatic Cancers with Homozygous MTAP-deletion AMG20230223	MTAP deletion	METASTATIC/LOCALLY ADVANCED Inclusion: Pancreatic cancer Homozygous MTAP-deletion Exclusion: Prior MAT2A inhibitor or PRMT5 inhibitor	AMG 193 AMG 193 is a PMRT5 inhibitor which is administered orally. AMG 193 will be administered with chemotherapy. Further information: https://www.genesiscare.com/au/clinical-trials/listings/amg-193-20230223	Genesis Care Norths Shore (NSW)	admin.northshore@genesiscare.com		



PANCREATIC OR SOLID CANCER TRIALS OUTSIDE OF VICTORIA

		T			
Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with	Treatment + Further Information	Site (Where the study	Contact Details (Email the contact person listed
		this stage of pancreatic cancer)	(What the study involves)	is being offered)	with any enquiries)
AMPLICITY (AMP945-202) A Phase 1b/2a, Multicenter, Open Label Study of the Safety, Efficacy and Pharmacokinetics of Narmafotinib in Combination With Modified FOLFIRINOX in Pancreatic Cancer Patients	FAK	METASTATIC/LOCALLY ADVANCED (First line) Inclusion: Treatment naïve for metastatic disease	Narmafotinib Narmafotinib is an oral FAK inhibitor. Narmafotinib will be administered in combination with mFOLFIRINOX chemotherapy Further information: AMPLICITY Trial	Genesis Care Norths Shore (NSW)	admin.northshore@genesiscare.com
VVD-130850-001	STAT3	ADVANCED OR METASTATIC	VVD130850	Central West	bernadette.sheldon@health.nsw.
A FIH study to evaluate the safety, tolerability, pharmacokinetics and pharmacodynamics of VVD-130850, as single agent and in combination with checkpoint inhibition, in participants with advanced solid and hematologic tumors.		**STUDY ON HOLD**	VVD130850 is a novel STAT3- inhibitor. Treatment will be as a monotherapy or in combination with checkpoint inhibition (pembrolizumab) Further information: https://clinicaltrials.gov/study/NC T06188208?term=NCT06188208 &rank=1	Cancer Care Centre (Orange Hospital NSW) Blacktown Cancer & Haematology Centre (NSW) Cancer Research South Australia (SA)	raymond.tangunan@health.nsw.g ov.au admin@crsa.au
				Gold Coast	CBDclinicaltrials@health.qld.gov.a



PANCREATIC OR SOLID CANCER TRIALS OUTSIDE OF VICTORIA					
Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with this stage of pancreatic cancer)	Treatment + Further Information (What the study involves)	Site (Where the study is being offered) University Hospital (QLD) ICON Cancer Research (South Brisbane QLD)	Contact Details (Email the contact person listed with any enquiries) U admin.southbrisbane@icon.team
ALKOVE-1 A Phase 1/2 Study of the Selective Anaplastic Lymphoma Kinase (ALK) Inhibitor NVL-to655 in Patients with Advanced NSCLC and Other Solid Tumors (ALKOVE—to1)	ALK	ADVANCED OR METASTATIC SOLID CANCERS Inclusion: ALK rearrangement or activating ALK mutation	NVL655 NVL655 (neladalkib) is an oral selective ALK inhibitor. Further information: https://www.cancer.nsw.gov.au/research-and-data/cancer-clinicaltrials-in-nsw/find-a-cancer-clinical-trial-in-nsw/item?r=13595	Royal North Shore Hospital NSW	PI: malinda.itchins@sydney.edu.au Trial coordinator: shirley.liang@health.nsw.gov.au
AT-0174-001 A Phase I Study to Evaluate the Safety, Tolerability, Pharmacology, and Preliminary Efficacy of AT-0174 in Subjects with Advanced Solid Malignancies	IDO1/TDO 2	ADVANCED OR METASATIC SOLID CANCERS Inclusion: Progressed on available prior lines of therapy	AT-0174 AT-0174 is a novel dual inhibitor of IDO1/TDO2 Further information: https://www.anzctr.org.au/Trial	Royal North Shore Hospital (NSW)	PI: helen.wheeler@health.nsw.gov.au Trial Coordinator: wenqiong.yu@health.nsw.gov.au



PANCREATIC OR SOLID CANCER TRIALS OUTSIDE OF VICTORIA

Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with this stage of pancreatic cancer)	Treatment + Further Information (What the study involves)	Site (Where the study is being offered)	Contact Details (Email the contact person listed with any enquiries)
BGB-58067 A Phase 1a/b Study Investigating the Safety, Tolerability, Pharmacokinetics, Pharmacodynamics, and Preliminary Antitumor Activity of BGB-58067, an MTA-Cooperative PRMT5 Inhibitor in Patients With Advanced Solid Tumors	MTAP deficiency	ADVANCED OR METASATIC SOLID CANCERS Inclusion: Any treatment line	BGB-58067 BGB-58067 is a PMRT5 inhibitor Further information: https://www.cancer.nsw.gov.au/r esearch-and-data/cancer-clinical-trials-in-nsw/find-a-cancer-clinical-trial-in-nsw/item?r=14130	Blacktown Cancer & Haematology Centre (NSW)	William.dAvigdor@health.nsw.g ov.au
GeneScreen 5FU DPYD Genotype-guided dose Personalisation for Fluoropyrimidine prescribing in Cancer	DPYD	Inclusion: Intention to treat with Fluoropyrimidine (FP) containing chemotherapy Exclusion: Prior FP containing chemotherapy prior to study entry.	DPYD genotyping Pre-emptive DPYD genotyping prior to commencing Fluoropyrimidine chemotherapy Further information: ANZCTR - Registration	Lake Macquarie Private Hospital (NSW) Fiona Stanley Hospital (WA)	.com.au audrey.margery- Muir@health.wa.gov.au
NCB161734 A Phase 1, Open-Label, Multicenter Study of INCB161734 in Participants With Advanced or Metastatic Solid Fumors With KRAS G12D Mutation	KRAS G12D	ADVANCED OR METASATIC SOLID CANCERS (Second line +) Inclusion: Second line and beyond	INCB161734 INCB161734 in a KRAS G12D inhibitor Further information: https://www.cancer.nsw.gov.au/research-and-data/cancer-clinical-trials-in-nsw/find-a-cancer-clinical-trial-in-nsw/item?r=14020	St Vincent's Hospital Darlinghurst (NSW)	robert.kent@svha.org.au



PANCREATIC CANCER TRIALS IN SINGAPORE					
Trial Title	Targets (Genomic)	Target population (Trial suitable for patients with this stage of pancreatic cancer)	Treatment + Further Information (What the study involves)	Site (Where the study is being offered)	Contact Details (Email the contact person listed with any enquiries)
A phase II study of metronomic capecitabine, oxaliplatin and UGT1A1 genotype-directed irinotecan in metastatic pancreatic cancer patients.	NA	METASTATIC/LOCALLY ADVANCED Inclusion: Systemic Treatment naive or treatment exposed advanced pancreatic adenocarcinoma	Metronomic capecitabine, oxaliplatin and UGT1A1 genotype directed irinotecan Further information: https://clinicaltrials.gov/study /NCT05929885?term=NCT059 29885&rank=1b	National Cancer Centre Singapore	honey.shwe.sin@nccs.com.sg
A first in human study to evaluate the safety, tolerability, and pharmacokinetics, pharmacodynamics, and preliminary clinical activity of BAY 3713372, a novel 2 nd generation PRMT5 inhibitor in participants with MTAP deleted solid tumors	MTAP loss	ADVANCED OR METASATIC SOLID CANCERS Inclusion Systemic Treatment naive or treatment exposed advanced pancreatic adenocarcinoma Homozygous MTAP deletion	BAY 3713372 BAY 3713372 is a novel 2 nd generation PRMT5 inhibitor. Further information: https://clinicaltrials.gov/study/NCT06914128	National Cancer Centre Singapore	Wang.jue.lynn@nccs.com.sg
A phase I/II Dose-Escalation and expansion study evaluating the safety, pharmacokinetics, and activity of GDC-7035 as a single agent and in combination with other anti-cancer therapies in patients with advanced solid tumors with a KRAS G12D mutation	KRAS G12D	METASTATIC/LOCALLY ADVANCED Inclusion: Systemic Treatment refractory KRAS G12D pancreatic adenocarcinoma	GDC-7035 GDC-7035 is a KRAS G12D inhibitor	National Cancer Centre Singapore	Ye.xin@nccs.com.sg



PANCREATIC CANCER TRIALS IN SINGAPORE **Trial Title** Target population **Contact Details** Targets Treatment + Further Site (Email the contact person listed (Trial suitable for patients with (Where the study (Genomic) Information this stage of pancreatic cancer) is being offered) with any enquiries) (What the study involves) METASTATIC/LOCALLY **PAUF** National Cancer Goh.mui.leng@singhealth.com.sg PAUF-I PBP 1510 **ADVANCED** Centre Singapore A first in human phase I/2A. PBP 1510 is an anti-PAUF Inclusion: multicentre, open label study antibody Systemic Treatment exposed of evaluating the safety. pancreatic adenocarcinoma tolerability, pharmacokinetics, Further information: and efficacy of PBP1510 in https://clinicaltrials.gov/st patients with udy/NCT05141149 advanced/metastatic

pancreatic cancer